




SUSPENDED PIT JACKS

ADJUSTABLE MODELS

1615 H - 1620 H

1815 H - 1820 H

- Air filter with condensate drain
- Telescopic beam
- Remote control
- 3 types of rollers
- "Safety Block System" kit option
- Wide range of accessories



Cattini
OLEOPNEUMATICA



An innovative range of suspended pit jacks

Our new range of suspended pit jacks is designed for heavy vehicles. It is also the ideal solution for service and maintenance of gearboxes and differentials, thanks to the innovations that make them unique on the market.

All our jacks are manufactured entirely in Italy and tested with the utmost care and attention, following quality standards that have been contributing to make us a leader in the automotive sector since 1967.






LIFTING UNIT

All H-line suspended pit jacks are equipped with a double descent valve, which ensures a perfect holding and controlled speed when descending under load, and an air filter with condensate drain, fully accessible to ensure a long lifespan of the jack. The H-line consists of four models of jacks that differ in piston stroke (600 mm and 800 mm) and load capacity (15 and 20 t).

TECHNICAL DATA



| | A | B | C | Capacity | Weight | Working air pressure | Air consumption |
|--------------|--------|--------|--------|----------|--------|----------------------|-----------------|
| 1615H | 600 mm | 110 mm | 680 mm | 15 t | 333 kg | 8-10 bar | 600 nl/min |
| 1620H | 600 mm | 110 mm | 680 mm | 20 t | 333 kg | 8-10 bar | 600 nl/min |
| 1815H | 800 mm | 110 mm | 880 mm | 15 t | 355 kg | 8-10 bar | 600 nl/min |
| 1820H | 800 mm | 110 mm | 880 mm | 20 t | 355 kg | 8-10 bar | 600 nl/min |




YAK

TELESCOPIC BEAM


Thanks to this adjustable and configurable beam, the jack can be adapted to any type of pit, thus reducing the waste of material and time needed to set and customize heavy custom-made beams improving convenience and performance.

ADJUSTABLE ELEMENTS

Length



Height



REMOTE CONTROL

The new H-line jacks are all equipped with remote control to make lifting and descending operations as easy as possible, guaranteeing the operator maximum safety when using the equipment.

The remote control is fitted with magnets at the rear allowing the operator to fix it to any metal surface at his convenience.


Quick approach

Lifting

Descent



Roller type



ACCESSORIES



In order to make our products even more versatile and flexible, we have designed a wide range of accessories compatible with the H-line suspended pit jacks.

Among the various accessories we have designed a modular and easy-to-use blocking system capable of safely lifting any kind of load, turning the jack into a real support column.




Kit Safety Block System

Cod: A05951 (1600H) - A05951 (1800H)



1615H/1620H



Cod: A5951




1815H/1820H

Cod: A5952



Cod: A00206




Cod: A00218





Cod: A00208




Cod: A00207



Cod: A00221





Cattini

OLEOPNEUMATICA

VIA G. VERDI, 41
42043 GATTATICO (Reggio Emilia) - ITALY
PH. +39 0522 909750 - FAX +39 0522 909875
www.cattini.eu
info@cattini.eu

